

Acoustic Solution

PLAIN PET ACOUSTIC PANELS

PLAIN ACOUSTIC

PANEL: The plain acoustic panel is a new kind of sound absorption material made of 100% polyester fiber through high-technology heat and fusion in the form of coccan cotton with different degree of air permeability and density. A palette more of 45 colors are available.

SIZE: Standard: 12mm & 24mm x 1200 x 2400
3mm x 1050 x 1000

Composition PET (MIN 50% recycled)

Panel Dimensions 2400mm (1/3mm)
x 1200mm (1/3mm)

Roll Dimensions 1050mm x 1000mm

Weight 1900g/m2 ≥95%
Thickness 24mm +/- 0.3mm


SGS fire test in accordance with EN 13501-1:2018 (B)

SGS test report no. GZIN2005020858CM, May 28, 2020


SGS fire test according to ASTM E84-13A class A

SGS test report SDHG1309008105F

12mm NRC Test Acoustic Performance



Panel cutter



Curtains



DDP



2D Walls



Ceilings



Baffles



Panel



Walls




AS - 01




AS - 02



AS - 03



AS - 04



AS - 05



AS - 06



AS - 08



AS - 09



AS - 10



AS - 11



AS - 12



AS - 13



AS - 14



AS - 15



AS - 16



AS - 17



AS - 18



AS - 19



AS - 20




AS - 21



AS - 22



AS - 23



AS - 24



AS - 25

Composition 100% PET (MIN 50% recycled)
 Panel Dimensions 2420mm (+/- 3mm) x 1220mm (+/- 3mm)

Weight 2000 g/m² > 95%
 Thickness 12mm +/- 0.5mm



AS - 26



AS - 27



AS - 28



AS - 29



AS - 30



AS - 31




AS - 32



AS - 33



AS - 34



AS - 35



AS - 36



AS - 37



AS - 38



AS - 39



AS - 40



AS - 41



AS - 42



AS - 43



AS - 44




AS - 45



AS - 46



AS - 47



AS - 48

Composition 100% PET (MIN 50% recycled)
 Panel Dimensions 2420mm (+/- 3mm) x 1220mm (+/- 3mm)

Weight 2000 g/m² > 95%
 Thickness 12mm +/- 0.5mm



Acoustic Solution

www.metallicsolution.com